




## 50m/S Circle Making Machine 5.5KW 2 - 6mm For Fan Mesh Cover

### Our Product Introduction

for more products please visit us on [wire-bendingmachine.com](http://wire-bendingmachine.com)

#### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: J2-6MM
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export safety wooden case
- Delivery Time: 5-10 days or negotiation
- Supply Ability: 50 Set/Sets per Month



#### Product Specification

- Product Name: Circle Making And Butt Welding Machine
- Machine Type: Circle Making + Butt Welding, Multi-function
- Core Components: Taiwan Water-cooled Transformer, Electric Bay Solenoid Valve, PLC Programming, Precision Servo
- Applicable Industries: Environmental Protection Dust Removal Framework, Fan Net Cover, Cement Pole, Lampshade, Handicrafts, Flowerpot Rack, Luggage Fastener, Daily Hardware Kitchen And Sanitary Appliances.
- Control System: PLC Programming + Human-machine Interface Display.
- Function: Counting/ Sound-light Alarm/ Monitoring
- Circle Diameter Error:  $\pm 0.3\text{mm}$
- Port: Shenzhen, China
- Wire Diameter: 2-6MM
- Input Voltage: 380V \* 3-phase



## Product Description

### Circle making machine circle making + butt welding for Fan mesh cover

Nickname:

All in one machine for circle and butt welding,  
Automatic steel circle o and bending with welder wire ring making butt welding machine  
Circle making and butt welding machine  
2-6MM Grill Fan Guard Wire Ring Butt Welding Making Machine  
Automatic machine integrating ring forming and butt welding

Full automatic ring butt welding machine is widely used in many industries, among which the production of fan iron mesh cover is essential. Cow horn fan iron mesh cover used in the workplace, household fan iron mesh cover, fan plane iron mesh cover, and arc iron mesh cover.  
Many kinds.

#### **Loop + butt welding, multi-functional, fully automatic.**

All materials can be round iron or flat iron, which can be customized according to customer needs.

Nickname


All in one machine for circle and butt welding,  
Automatic steel circle o and bending with welder wire ring making butt welding machine  
Circle making and butt welding machine  
2-6MM Grill Fan Guard Wire Ring Butt Welding Making Machine

Performance characteristics

- 1.Servo feeding, fast looping speed, hydraulic cutter, simple and fast, great strength. Making circle + butt welding can be completed at one time, saving time, labor and labor.
- 2.The whole machine CNC lathe + CNC milling has good coordination and precision. It is more guaranteed than similar products, faster and more efficient.
- 3.PLC programming + man-machine interface, simple debugging, Omron 2000 pulse encoder, more accurate identification. Beginners are easy to get started. It also has forward and backward, automatic and manual functions, which is convenient for debugging. Debugging OK is direct and automatic without human supervision.

#### **Structural details are displayed one by one:**

1. Horizontal and vertical two groups of straightening guard wheel, thickened and hardened, double ball. The safety wire is well straightened and more durable.





2. 4 groups, 8 wire feeding forming wheels, with large force, stability and wear resistance. There are only 3 groups and 6 similar machines from other manufacturers. Moreover, the processing is accurate, and the surface of the trunking is specially smooth.




3. The increased and thickened all red copper strip with special insulation has stronger conductivity and more guarantee for welding. The surface is transparent and can be seen with real materials.



4. Cutting, positioning, grasping and butt welding devices are completed at one go.






**Assembly workshop of all-in-one circular butt welding machine**




**Technical parameters of fast looping butt welding machine**

Technical parameter		
Model	JQDH2-6MM	JQDH2-8MM
Wire diameter range (MM)	Hard wire2-4MM Flexible cord2-6MM	Hard wire2-6MM Flexible cord2-8MM
Servo device	2.6KW+7B	2.3KW+10B

Hydraulic device	1.5KW	2.2KW
Maximum wire feeding speed(M/MIN)	85	52
Circle diameter range(MM)	50-600	50-600
Circle diameter Tolerance (MM)	±0.3	±0.3
Welding power	50KVA	60KVA
Pneumatic brand	Taiwan SNS	Taiwan SNS
Solenoid valve brand	Taiwan,AirTAC	Taiwan,AirTAC
Overall dimension (CM)	220*142*127	220*142*127



Fan iron mesh cover display





**Dongguan Jinghongxiang Automation Equipment Co., Ltd.**



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China